

Dimora Rovere *Oak*



The mark of
responsible forestry



Spessore 10/11mm
Larghezza 120/140mm
Lunghezza 1100/2200mm — 500/1000mm (20%)*

Thickness 10/11mm
Width 120/140mm
Length 1100/2200mm — 500/1000mm (20%)*

*Per esigenze di finitura e d'imballaggio i pezzi corti possono essere forniti uniti tra loro e inseriti nelle confezioni con i pezzi più lunghi.

*Due to finishing and packaging needs, the shorter planks can be supplied joined together and inside the same parcels with longer planks.

CARATTERISTICHE

- Incastro maschio e femmina sui 4 lati
- Primo strato di legno nobile pregiato di spessore 3,5mm
- Supporto multistrato
- Grandi dimensioni
- Bisellatura sui lati
- Posa incollata
- Incollaggio Vinilico
- Rovere Europeo
- Stuccature di base color beige
- Finiture a base d'acqua

L'umidità ambientale d'esercizio deve essere compresa tra il 45% ed il 60% ad una temperatura di circa 20°C.

N.B.

Il legno è un materiale naturale, ogni tavola è un esemplare unico, per questo motivo più tavole possono differire tra loro nel colore.

—
Si sconsiglia l'uso di nastro adesivo sulle finiture in quanto può danneggiare la superficie.

CHARACTERISTICS

- Tongue and groove on the 4 sides
- Top layer valuable prestigious wood, thickness 3,5mm
- Plywood support
- Large sizes
- Bevelled edges
- Glued installation
- Vinyl bonding
- European Oak
- Basic putty in beige colour
- Water-based varnish

The operating environmental humidity must be between 45% and 60% at a temperature of approximately 20°C.

Please note:

Wood is a natural product and each plank is a unique specimen, hence planks may differ one from the other in colour.

—
The use of adhesive tape on the finishes is not recommended as it can damage the surface.



Parquet multistrato 1strip
Engineered wood flooring 1strip


Finiture Standard / Standard finishes




P01 Prelevigato *Unfinished*
FREE



U12 Almond OIL UV
FREE




A22 Clay
FREE



Y21 Acqua Neutro
FREE



Y25 Naturalizzato
FREE



C70 Bianco Neve
FREE



C77 Sand
FREE




C87 Sabbia
FREE



C54 Cliff
FREE




C72 Cognac
FREE



C78 City
FREE



C86 Land
FREE



C55 Amber
FREE

Dimora Rovere *Oak*



The mark of
responsible forestry



Spessore 10/11mm
Larghezza 120/140mm
Lunghezza 1100/2200mm — 500/1000mm (20%)*

Thickness 10/11mm
Width 120/140mm
Length 1100/2200mm — 500/1000mm (20%)*

*Per esigenze di finitura e d'imballaggio i pezzi corti possono essere forniti uniti tra loro e inseriti nelle confezioni con i pezzi più lunghi.

**Due to finishing and packaging needs, the shorter planks can be supplied joined together and inside the same parcels with longer planks.*

CARATTERISTICHE

- Incastro maschio e femmina sui 4 lati
- Primo strato di legno nobile pregiato di spessore 3,5mm
- Supporto multistrato
- Grandi dimensioni
- Bisellatura sui lati
- Posa incollata
- Incollaggio Vinilico
- Rovere Europeo
- Stuccature di base color beige
- Finiture a base d'acqua

L'umidità ambientale d'esercizio deve essere compresa tra il 45% ed il 60% ad una temperatura di circa 20°C.

N.B.

Il legno è un materiale naturale, ogni tavola è un esemplare unico, per questo motivo più tavole possono differire tra loro nel colore.

—
Si sconsiglia l'uso di nastro adesivo sulle finiture in quanto può danneggiare la superficie.

CHARACTERISTICS

- *Tongue and groove on the 4 sides*
- *Top layer valuable prestigious wood, thickness 3,5mm*
- *Plywood support*
- *Large sizes*
- *Bevelled edges*
- *Glued installation*
- *Vinyl bonding*
- *European Oak*
- *Basic putty in beige colour*
- *Water-based varnish*

The operating environmental humidity must be between 45% and 60% at a temperature of approximately 20°C.

Please note:


Wood is a natural product and each plank is a unique specimen, hence planks may differ one from the other in colour.

—
The use of adhesive tape on the finishes is not recommended as it can damage the surface.



Parquet multistrato 1strip
Engineered wood flooring 1strip

NEW - Finiture con reagenti e vernice a base d'acqua / Finishes with reagents and water-based varnish



C134 Brownie

FREE



C135 Foggy

FREE

Finiture Oil Led / Oil Led Finishes



U021 Natur OIL LED

FREE



U023 White OIL LED

FREE



U022 Old Twist OIL LED

FREE